

KIWIGREEN ACTION SHEET



If your Zespri KiwiGreen Monitoring round has found one or more of the below pests, action may need to be taken to retain China market access. Pests of concern for China are highlighted in red below.

**PESTS OF CONCERN FOR CHINA
REQUIRES ACTION FOR MARKET ACCESS**

<u>PEST</u>	<u>FOUND</u>	<u>ACTION</u>	<u>PRODUCTS</u>	<u>REFERENCES</u>
<u>LEAFROLLER</u>	0.5% - 1%	1) Spray blocks above threshold and record spray in Spray Diary SPRAYS MUST BE RECORDED IN SPRAY DIARY WITH THE REASON AS <i>LEAFROLLER CONTROL</i>	BIO-BIT DF & DELFIN WG - 2 DAY PHI. PROCLAIM OPTI - 56 DAY PHI. ANNOUNCE & VELOCITY 50 SC - 42 DAY PHI.	Leafroller Factsheet
	1.01%-2.99%	1) Spray blocks above threshold AND THEN 2) Instruct PMC to re-monitor blocks above threshold (prior to harvest)		
	≥3%	1) Spray blocks and re-monitor. CN Hold will remain		
<u>WHEAT BUG</u>	LOAD OUT AREA NOT CLEAR OF HOST WEEDS	1) Clear high-risk loadout area of host weeds <ul style="list-style-type: none"> A list of host weeds & images is shown in the attached Wheat Bug Fact Sheet. A load out area is defined as any area, including a 3m perimeter, where bins will be placed awaiting transport to the packhouse. AND THEN 2) Record this in spray diary: <ul style="list-style-type: none"> Select 'Add Spray line' and Enter details for a spray line <ol style="list-style-type: none"> From the product drop down menu select either: Wheat bug management (e.g. Glyphosate / OB herbicide) OR Wheat bug management (manual removal). Product rate should be entered as "1". From the 'reason' dropdown select 'Wheat bug control' Under 'blocks' select 'loadout'. The remaining sections should be completed as placeholders (complete with any text/selection from dropdown) if not relevant i.e. Spray contractor is not relevant if method of action is weed removal. LOAD OUT AREA MUST REMAIN CLEARED UNTIL HARVEST	ZESPRI APPROVED HERBICIDE (OR MANUAL REMOVAL)	Wheat Bug Factsheet

KIWIGREEN ACTION SHEET



<u>SCALE</u>	4-7%	1) Spray blocks above threshold and record spray in Spray Diary OR 2) Instruct PMC to re-monitor blocks above threshold (prior to harvest) SPRAYS MUST BE RECORDED IN SPRAY DIARY WITH THE REASON SCALE CONTROL	EXCEL ORGANIC OIL	Using summer oils safely Monitoring and responding to scale in summer Armoured Scale Factsheet Summer Oil for Scale Control
	7.01%-19.99%	1) Spray blocks above threshold and record spray in Spray Diary AND THEN 2) Instruct PMC to re-monitor blocks above threshold (prior to harvest) SPRAYS MUST BE RECORDED IN SPRAY DIARY WITH THE REASON SCALE CONTROL		
	≥20%	1) Spray blocks above threshold (2 sprays can be applied if timing is appropriate for HW ONLY) and record spray in Spray Diary AND THEN 2) Instruct PMC to re-monitor blocks above threshold (prior to harvest)		
<p>EXPECTED ACTION IS VARIETY SPECIFIC. OIL ON G3 SAFE MID FEB ONLY. OIL ON GREEN IS SAFE FROM 35 DAYS AFTER FRUITSET UNTIL MID TO LATE MARCH. ENSURE OIL APPLICATION IS IN APPROPRIATE WEATHER CONDITIONS. OIL ON RED HAS NOT HAD SAFETY TESTING, THEREFORE SPRAYING IS NOT EXPECTED.</p>				

KEY:

Blue writing	New text
PHI	Pre-harvest Interval (time between spray application and harvest)
Crossed out writing (abc)	Removed information, no longer applicable